FIONA WU
ULTRA LEVEL TECH CO LTD
4TH FL 2 LANE 235 BAU-CHIAU RD
HSIN-TIEN DISTRICT
NEW TAIPEI
231 TAIWAN

Date: 2017/01/04
Subscriber: 252060001
PartySite: 8846
File No: E201808
Project No: 17SR3425444
PD No: 17O00582
Type: R
PO Number:

Subject: **Procedure And/Or Report Material**

The following material resulting from the investigation under the above numbers is enclosed.

Issue Date	Vol	Sec	Pages	Revised Date
	X1		Index Page(s)	
2016/12/30	X1	A19	Cert of Compliance	
2016/12/30	X1	A19	Add New Proc/Report Sect	
2016/12/30	X1	A20	Cert of Compliance	
2016/12/30	X1	A20	Add New Proc/Report Sect	

Physical Transfer Sec. A1 and A2 from E464358 Vol. X1 to E201808 Vol. X1 Sec.A19 and A20

"If there are illegible images in this package, legible images may be found online via MyHome@UL under My UL Reports/CDA."

MARSY MA, UL INSPECTION CENTER TAIPEI, UL INTERNATIONAL SERVICES LTD, 260 DA-YEH RD, 5TH FL, PEITOU, TAIPEI CITY, Taiwan, 112., PHONE: 2-2893-8033, FAX: 2-2897-8628, EMAIL: MARSY.MA@ul.com

Please file revised pages and illustrations in place of material of like identity. New material should be filed in its proper numerical order.

NOTE: Follow-Up Service Procedure revisions DO NOT include Cover Pages, Test Records and Conclusion Pages. Report revisions DO NOT include Authorization Pages, Indices, Section General Pages and Appendixes.

Please review this material and report any inaccuracies to UL's Customer Service Professionals. Contact information for all of UL's global offices can be found at http://ul.com/aboutul/locations.

If you'd like to receive updated materials FASTER, UL offers electronic access and/or delivery of this material. For more details, contact UL's Customer Service Professionals as shown above.

This material is provided on behalf of UL LLC(UL) or any authorized licensee of UL.

TRT File

UL INSPECTION CENTER 818

UL TEST REPORT AND PROCEDURE

Standard:	UL 60950-1, 2nd Edition, 2011-12-19 (Information Technology Equipment - Safety - Part 1: General Requirements) CAN/CSA C22.2 No. 60950-1-07, 2nd Edition, 2011-12 (Information Technology Equipment - Safety - Part 1: General Requirements)
Certification Type:	Component Recognition
CCN:	QQGQ2, QQGQ8 (Power Supplies for Information Technology Equipment Including Electrical Business Equipment)
Product:	Switching Power Supply
Model:	PRL1201x-y (x = D or blank, y = 05, 10, 12, 15, 18, 24, 28, 36, 48, 54, 0512, 0524 or 1224) ("x" Denotes output type, blank for single output, "D" for dual output, "y" denotes output voltage)
Rating:	Input: 100-240 Vac, 47-63 Hz, 6 A Output: See Enclosure ID 7-01 for details
Applicant Name and Address:	ULTRA LEVEL TECH CO LTD 4TH FL 2 LANE 235 BAU-CHIAU RD HSIN-TIEN DISTRICT NEW TAIPEI 231 TAIWAN

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of UL LLC ('UL') in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

UL authorizes the applicant to reproduce the latest pages of the referenced Test Report consisting of the first page of the Specific Technical Criteria through to the end of the Conditions of Acceptability.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Prepared by: Iris Lin Reviewed by: Steven Huang

Copyright © 2016

Supporting Documentation

The following documents located at the beginning of this Procedure supplement the requirements of this Test Report:

A. Authorization - The Authorization page may include additional Factory Identification Code markings.

B. Generic Inspection Instructions -

i. Part AC details important information which may be applicable to products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of this Test Report.

ii. Part AE details any requirements which may be applicable to all products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of each Test Report.

iii. Part AF details the requirements for the UL Certification Mark which is not controlled by the technical standard used to investigate these products. Products are permitted to bear only the Certification Mark(s) corresponding to the countries for which it is certified, as indicated in each Test Report.

Product Description

- The open frame power supply is incorporating power supply boards with electronic components.

- Two input terminal types in this equipment, see Enclosure ID 3-15 and appended table 1.5.1 for material details.

Model Differences

- Models PRL1201x-y (x = D or blank, y = 05, 10, 12, 15, 18, 24, 28, 36, 48, 54, 0512, 0524 or 1224) ("x" Denotes output type, blank for single output, "D" for dual output, "y" denotes output voltage) are similar to each other except for output rating, output type and some component differences.

- See Enclosure ID 7-01 for output rating details.
- See Enclosure ID 7-02 for component difference details.

Technical Considerations

- Equipment mobility : for building-in
- Connection to the mains : To be determined in the end product
- Operating condition : continuous
- Access location : operator accessible
- Over voltage category (OVC) : OVC II
- Mains supply tolerance (%) or absolute mains supply values : +10%, -10%
- Tested for IT power systems : No
- IT testing, phase-phase voltage (V) : N/A
- Class of equipment : Class I (earthed)
- Considered current rating of protective device as part of the building installation (A) : 20 A
- Pollution degree (PD) : PD 2
- IP protection class : IP X0
- Altitude of operation (m) : Up to 2000 m
- Altitude of test laboratory (m) : less than 2000 meters
- Mass of equipment (kg) : Approx. 1.2kg
- The product was submitted and evaluated for use at the maximum ambient temperature (Tma)

permitted by the manufacturer's specification of: 50 degree C

- The means of connection to the mains supply is: To be determined in the end product
- The product is intended for use on the following power systems: TN
- The equipment disconnect device is considered to be: To be determined in the end product
- The following are available from the Applicant upon request: Installation (Safety) Instructions / Manual

Engineering Conditions of Acceptability

For use only in or with complete equipment where the acceptability of the combination is determined by UL LLC. When installed in an end-product, consideration must be given to the following:

- The following Production-Line tests are conducted for this product: Earthing Continuity, Electric Strength
- The end-product Electric Strength Test is to be based upon a maximum working voltage of: Primary-SELV: 300 Vrms, 440 Vpk of T3., Primary-SELV: 221 Vrms, 424 Vpk of T2., Primary-SELV: 262 Vrms, 460 Vpk of T1.
- The following secondary output circuits are SELV: All outputs
- The following secondary output circuits are at hazardous energy levels: All outputs
- The power supply terminals and/or connectors are: Suitable for factory wiring only
- The maximum investigated branch circuit rating is: 20 A
- The investigated Pollution Degree is: 2
- Proper bonding to the end-product main protective earthing termination is: Required
- An investigation of the protective bonding terminals has: Been conducted
- The following magnetic devices (e.g. transformers or inductor) are provided with an OBJY2 insulation system with the indicated rating greater than Class A (105°C): Transformer (T1, T3) (Class F), Transformer (T2) (Class B)
- The following end-product enclosures are required: Electrical, Fire, Mechanical,
- The equipment is suitable for direct connection to: To be determined in the end product

Additional Information

- The tests are based on +10% and -10% tolerance and considered in compliance with +6% and -10% tolerance.

Revision by 4786562954:
1. Employing the alternate Mylar source (Sabic / Model FR60).

Additional Standards

The product fulfills the requirements of: N/A

Markings and instructions

Clause Title	Marking or Instruction Details
Power rating - Ratings	Ratings (voltage, frequency/dc, current)
Power rating - Company identification	Listee's or Recognized company's name, Trade Name, Trademark or File Number

Power rating - Model	Model Number
Fuses - Rating	Rated current and voltage and type located on or adjacent to fuse or fuseholder.

Special Instructions to UL Representative

"Inspect the transformer(s) listed in Production-Line Testing Requirements per AA1.1- (C). When the tests are conducted at other location, inspect test record and specification sheet provided by the component manufacturer. Verify the specification sheet indicates 100% routine test specified in Production-Line Testing Requirements be conducted at the component manufacturer. "

Production-Line Testing Requirements

Electric Strength Test Special Constructions - Refer to Generic Inspection Instructions, Part AC for further information.

Model	Component	Removable Parts	Test probe location	V rms	V dc	Test Time, s
All models	Transformer (T1, T2, T3)	--	Primary to secondary	3000	4242	1

Earthing Continuity Test Exemptions - This test is not required for the following models:

--

Electric Strength Test Exemptions - This test is not required for the following models:

no exemptions

Electric Strength Test Component Exemptions - The following solid-state components may be disconnected from the remainder of the circuitry during the performance of this test:

--

Sample and Test Specifics for Follow-Up Tests at UL

Model	Component	Material	Test	Sample(s)	Test Specifics
--	--	--	--	--	--

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*	Blatt *Page*
R 50271904	0001

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum	*Date of Issue (day/mo/yr)*
T130924N01/CCS	ZTW1-KKC- 10044276 001	10.01.2014	

Genehmigungsinhaber *License Holder*
QBEST INC.
1F, NO. 15, ALLEY 22,
LANE 157, SEC. 5, FUU AN ROAD,
TAINAN CITY 709
Taiwan

Fertigungsstätte *Manufacturing Plant*
Ultra Level Tech. Co., Ltd.
4F. No.2, Lane 235, Bau-Chiau Road
Hsin-Tien Dist., New Taipei City
231
Taiwan

Prüfzeichen *Test Mark*

TÜVRheinland® ZERTIFIZIERT
Bauart geprüft
Sicherheit
Regelmäßige Produktions-überwachung
www.tuv.com
ID 2000000000

Geprüft nach *Tested acc. to*
EN 60950-1:2006+A11+A1+A12

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*	Lizenzentgelte - Einheit *License Fee - Unit*
Einbau-Schaltnetzteil (Switching Power Supply)	
Bezeichnung (Type Designation) : PRL1201x-y (RL)	10
x steht für (stands for) : D oder (or) freibleibend (blank)	
y steht für (stands for) : 05, 10, 12, 15, 18, 24, 28, 36, 48, 54, 0512, 0524 oder (or) 1224	
Nennspannung (Rated Voltage): AC 100-240V, 47-63Hz	
Nennstrom (Rated Current) : 6A MAX	
Ausgang (Output) : siehe Aufbau-Übersicht (see constructional dataform)	
max. Umgebungstemperatur (max. Ambient Temperature): 50°C	
Schutzklasse (Protection Class) : I	
Verschmutzungsgrad (Pollution Degree) : 2	
Vermerke : Primär-und Sekundärkreise sind gemäß Verfahren 1 und 2 nach Abschnitt 2.9.4 getrennt. Der Einbau muß gemäß der zugehörigen Einbauanweisung erfolgen. (Remarks : Primary and secondary circuits are separated according to method 1 and 2 of clause 2.9.4. The installation has to be carried out according to the attached installation instruction.)	
	10

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Dipl.-Ing. F. Stoelzel

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

TÜV, TUEV and TUV are registered trademarks. Utilization and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
R 50271904

Blatt *Page*
0003

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue* (day/mo/yr)
12094642/FW120117	ZTW1-YFR- 10044276 003	23.02.2017	

Genehmigungsinhaber *License Holder*
Ultra Level Tech. Co., Ltd.
4F. No.2, Lane 235, Bau-Chiau Road
Hsin-Tien Dist., New Taipei City
231
Taiwan

Fertigungsstätte *Manufacturing Plant*
Ultra Level Tech. Co., Ltd.
4F. No.2, Lane 235, Bau-Chiau Road
Hsin-Tien Dist., New Taipei City
231
Taiwan

Prüfzeichen *Test Mark*

TÜVRheinland ZERTIFIZIERT
Bauart geprüft
Sicherheit
Regelmäßige Produktions-überwachung
www.tuv.com
ID 2000000000

Geprüft nach *Tested acc. to*
EN 60950-1:2006+A11+A1+A12+A2

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product *(Product Identification)*

Lizenzentgelte - Einheit
License Fee - Unit

Einbau-Schaltnetzteil (Switching Power Supply)

wie Blatt (as page) 01

Änderung (Change)

Genehmigungsinhaber : siehe oben
(License Holder) (see above)

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Landern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

Zertifizierungsstelle

TÜVRheinland LGA Products GmbH Zertifizierungsstelle

Dipl.-Ing. F. Stoelzel

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

IEC IECEE CB SCHEME

Ref. Certif. No.

JPTUV-078646

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product Produit	Switching Power Supply
Name and address of the applicant Nom et adresse du demandeur	Ultra Level Tech. Co., Ltd. 4F. No.2, Lane 235, Bau-Chiau Road Hsin-Tien Dist., New Taipei City, 231 Taiwan
Name and address of the manufacturer Nom et adresse du fabricant	Ultra Level Tech. Co., Ltd. 4F. No.2, Lane 235, Bau-Chiau Road Hsin-Tien Dist., New Taipei City, 231 Taiwan
Name and address of the factory Nom et adresse de l'usine	Ultra Level Tech. Co., Ltd. 4F. No.2, Lane 235, Bau-Chiau Road Hsin-Tien Dist., New Taipei City, 231 Taiwan
Ratings and principal characteristics Valeurs nominales et charactéristiques principales	Input: AC 100-240V; 47-63Hz; 6A MAX; Class I Output: refer to the test report
Trademark (if any) Marque de fabrique (si elle existe)	RL
Type of Manufacturer's Testing Laboratories used Type de programme du laboratoire d'essais constructeur	N/A
Model / Type Ref. Ref. de type	PRL1201x-y (x= D or blank; y= 05, 10, 12, 15, 18, 24, 28, 36, 48, 54, 0512, 0524 or 1224)
Additional information (if necessary may also be reported on page 2) Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2ème page)	For model differences, refer to the test report
A sample of the product was tested and found to be in conformity with Un échantillon de ce produit a été essayé et a été considéré conforme à la	IEC 60950-1:2005+A1+A2 See Test Report for National Differences
As shown in the Test Report Ref. No. which forms part of this Certificate Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat	11049510 001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

TÜVRheinland®

TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Date: 01.03.2017

Signature: Dipl.-Ing. F. Stoelzel

Test Report issued under the responsibility of:

TÜVRheinland®

TEST REPORT

IEC 60950-1

Information technology equipment – Safety – Part 1: General requirements

Report Number..... :	11049510 001
Date of issue..... :	February 21, 2017
Total number of pages ..... :	92
Applicant's name ..... :	Ultra Level Tech. Co., Ltd.
Address..... :	4F. No.2, Lane 235, Bau-Chiau Road, Hsin-Tien Dist., New Taipei City, 231 Taiwan
Test specification:	
Standard ..... :	IEC 60950-1:2005 (Second Edition) + Am 1:2009 + Am 2:2013
Test procedure..... :	CB Scheme
Non-standard test method..... :	N/A
Test Report Form No..... :	IEC60950_1F
Test Report Form(s) Originator.... :	SGS Fimko Ltd
Master TRF ..... :	Dated 2014-02

Copyright © 2014 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.
This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

Test item description ..... :	Switching Power Supply
Trade Mark ..... :	RL
Manufacturer ..... :	Same as applicant
Model/Type reference ..... :	PRL1201x-y (x= D or blank, y=05, 10, 12, 15, 18, 24, 28, 36, 48, 54, 0512, 0524 or 1224)
Ratings ..... :	I/P: AC 100-240V, 47-63Hz, 6A MAX O/P: see page 7

Testing procedure and testing location:			
☒	**CB Testing Laboratory:**	TÜV Rheinland Taiwan Ltd., Taichung Laboratory	
Testing location/ address ..... :		No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District, Taichung City 428, Taiwan	
☐	**Associated CB Testing Laboratory:**		
Testing location/ address ..... :			
Tested by (name + signature) ..... :		Terry Yang Project Handler	
Approved by (name + signature) ..... :		Sean Hsueh Technical Reviewer	
☐	**Testing procedure: TMP/CTF Stage 1:**		
Testing location/ address ..... :			
Tested by (name + signature) ..... :			
Approved by (name + signature) ..... :			
☐	**Testing procedure: WMT/CTF Stage 2:**		
Testing location/ address ..... :			
Tested by (name + signature) ..... :			
Witnessed by (name + signature) ..... :			
Approved by (name + signature) ..... :			
☐	**Testing procedure: SMT/CTF Stage 3 or 4:**		
Testing location/ address ..... :			
Tested by (name + signature) ..... :			
Witnessed by (name + signature) ..... :			
Approved by (name + signature) ..... :			
Supervised by (name + signature) ..... :			

List of Attachments (including a total number of pages in each attachment):

- Photo documentation (8 pages)
- National Differences (60 pages)

Summary of testing:

Tests performed (name of test and test clause):	**Testing location:**
• This CB copy of test report is based on the previously approved test report 11043185 001 with the certificate nos.: JPTUV-067333. • All applicable tests as described in Test Case and Measurement Sections were performed. • Pre-production samples without serial numbers. • Load conditions used during testing, see appended in table 1.6.2. • Tested models were described in appended tables and Measurement Sections for all test items to represent the other similar models. • The equipment is evaluated for maximum ambient temperature of 50°C. • If there is no other specified, all test were perform on models PRL1201-05, PRL1201-10, PRL1201-54, PRL1201D-0512 and PRL1201D-1224	All tests as described in Test Case and Measurement Sections were performed at the laboratory described on page 2.

Summary of compliance with National Differences

List of countries addressed:

EU Group Differences, EU Special National Conditions, US.

☒ The product fulfils the requirements of EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013.

EU Group Differences, EU Special National Conditions, CA, DE, DK, FI, GB, IL, KR, SE, SI

Explanation of used codes: CA = Canada, DE = Germany, DK=Denmark, FI = Finland, GB = United Kingdom, IL = Israel, KR = Republic of Korea, SE = Sweden, SI = Slovenia, US = United States

☒ The product fulfils the requirements of EN 60950-1:2006+A11:2009+A1:2010+ A12:2011.

For IEC 60950-1:2005 (2nd Edition)
AU = Australia, CN = China, CH = Switzerland, ES = Spain, IE = Ireland, NO = Norway

For IEC 60950-1:2001
JP = Japan

For National Differences see corresponding Attachment.

CE

VERIFICATION OF COMPLIANCE

This Verification of Compliance is hereby issued to the product designated below.

Product	Switching Power Supply
Model	PRL1201-x ; PRL1201D-y (x=05,10,12,15,18,24,28,36,48 or 54 ; y=0512, 0524 or 1224)
Brand	N/A
Applicant	**ULTRA LEVEL TECH. CO., LTD.** 4F, No. 2, Lane 235, Bau-Chiau Road, Hsin-Tien Dist., New Taipei City 231, Taiwan R.O.C.
Manufacturer	**ULTRA LEVEL TECH. CO., LTD.** 4F, No. 2, Lane 235, Bau-Chiau Road, Hsin-Tien Dist., New Taipei City 231, Taiwan R.O.C.
Applicable Standard(s)	**EN 55032: 2012+AC: 2013, Class B** EN 61000-3-2: 2014, EN 61000-3-3: 2013 **EN 55024: 2010** IEC 61000-4-2: 2008, IEC 61000-4-3: 2010, IEC 61000-4-4: 2012 IEC 61000-4-5: 2014, IEC 61000-4-6: 2013, IEC 61000-4-8: 2009 IEC 61000-4-11: 2004
Reference No.	T170427N01-E
Test Laboratory	**Compliance Certification Services Inc.** **Tainan Laboratory** No.8,Jiucengling, Xinhua Dist., Tainan City 712, Taiwan (R.O.C.) http://www.ccsrf.com service@ccsrf.com

This device has been tested and found to comply with the stated standard, which is required by the Council Directive of 2014/30/EU. The test results are indicated in the test report and are applicable only to the tested sample identified in the report.

Jeter Wu / Assistant Manager
Tainan Lab
Date: July 03, 2017

CE EC-Declaration of Conformity

The following equipment:

Switching Power Supply

(Product Name)

PRL1201-x ; PRL1201D-y (x=05,10,12,15,18,24,28,36,48 or 54 ; y=0512, 0524 or 1224) / N/A

(Model Designation / Brand Name)

ULTRA LEVEL TECH. CO., LTD.

(Manufacturer Name)

4F, No. 2, Lane 235, Bau-Chiau Road, Hsin-Tien Dist., New Taipei City 231, Taiwan R.O.C.

(Manufacturer Address)

is hereby confirmed to comply with the requirements set out in the Council Directive on the Approximation of the Laws of the Member States relating to Electromagnetic Compatibility Directive (2014/30/EU). For the evaluation regarding the Electromagnetic Compatibility (2014/30/EU) the following standards are applied:

EN 55032: 2012+AC: 2013, Class B
EN 61000-3-2: 2014, EN 61000-3-3: 2013
EN 55024: 2010
IEC 61000-4-2: 2008, IEC 61000-4-3: 2010, IEC 61000-4-4: 2012
IEC 61000-4-5: 2014, IEC 61000-4-6: 2013, IEC 61000-4-8: 2009
IEC 61000-4-11: 2004

The following manufacturer / importer or authorized representative established within the EU is responsible for this declaration:

(Company Name)

(Company Address)

Person responsible for making this declaration:

(Name, Surname)

(Position / Title)

(Place) (Date) (Legal Signature)